




# WEB PROGRAMMING



Department of Computer Sciences

Academic Year: 2023-2024

First stage

Semester: Two

Lecture - 9

By:

Harith Abdullah

Yahya Layth Khaleel

# HTML – Tags and Examples

Tag	Name	Code Example	Browser View
<!--	comment	<!--This can be viewed in the HTML part of a document-->	Nothing will show
<A -	anchor	< <b>A</b> HREF="http://www.yourdomain.com/">Visit Our Site</A>	<u>Visit Our Site</u>
<B>	bold	< <b>B<td><b>Example</b></td></b>	<b>Example</b>
<BIG>	big (text)	< <b>BIG<td>Example</td></b>	Example
<BODY>	body of document	< <b>BODY<td>Contents of your webpage</td></b>	Contents of your webpage
 	line break	The contents of your page< <b>BR</b> >The contents of your page	The contents of your page The contents of your page
<CENTER>	center	< <b>CENTER<td>This will center your contents</td></b>	This will center your contents

# HTML – Tags and Examples

<DD>	definition description	<DL> <DT>Definition Term <b>&lt;DD&gt;Definition of the term</b> <DT>Definition Term <b>&lt;DD&gt;Definition of the term</b> </DL>	Definition Term <b>Definition of the term</b> Definition Term <b>Definition of the term</b>
<DL>	definition list	<DL> <DT>Definition Term <DD>Definition of the term <DT>Definition Term <DD>Definition of the term </DL>	Definition Term Definition of the term Definition Term Definition of the term
<DT>	definition term	<DL> <b>&lt;DT&gt;Definition Term</b> <DD>Definition of the term <b>&lt;DT&gt;Definition Term</b> <DD>Definition of the term </DL>	<b>Definition Term</b> Definition of the term <b>Definition Term</b> Definition of the term

# HTML – Tags and Examples

<FORM>	form	<pre>&lt;FORM action="mailto:you@yourdomain.com"&gt; Name: &lt;INPUT name="Name" value="" size="10"&gt; &lt;BR&gt; Email: &lt;INPUT name="Email" value="" size="10"&gt; &lt;BR&gt; &lt;CENTER&gt;&lt;INPUT type="submit"&gt;&lt;/CENTER&gt; &lt;/FORM&gt;</pre>	<p>Name: <input type="text"/></p> <p>Email: <input type="text"/></p> <p><input type="button" value="Submit"/></p>
--------	------	---	---


# HTML – Tags and Examples

<H1>	heading 1	<H1>Heading 1 Example</H1>	<b>Heading 1 Example</b>
<H2>	heading 2	<H2>Heading 2 Example</H2>	<b>Heading 2 Example</b>
<H3>	heading 3	<H3>Heading 3 Example</H3>	<b>Heading 3 Example</b>
<H4>	heading 4	<H4>Heading 4 Example</H4>	<b>Heading 4 Example</b>
<H5>	heading 5	<H5>Heading 5 Example</H5>	<b>Heading 5 Example</b>
<H6>	heading 6	<H6>Heading 6 Example</H6>	<b>Heading 6 Example</b>

# HTML – Tags and Examples

<HEAD>	heading of document	<HEAD>Contains elements describing the document</HEAD>	Nothing will show
<HR>	horizontal rule	<HR>	Contents of your webpage
<HR>	horizontal rule	<HR WIDTH="50%" SIZE="3">	Contents of your webpage _____
<HR>	horizontal rule	<HR WIDTH="50%" SIZE="3" NOSHADE>	Contents of your webpage _____
<HR> (Internet Explorer)	horizontal rule	<HR WIDTH="75%" COLOR="#FF0000" SIZE="4">	Contents of your webpage _____
<HR> (Internet Explorer)	horizontal rule	<HR WIDTH="25%" COLOR="#6699FF" SIZE="6">	Contents of your webpage _____
<HTML>	hypertext markup language	<HTML><HEAD><META><TITLE>Title of your webpage</TITLE></HEAD><BODY>Webpage contents</BODY></HTML>	Contents of your webpage


# HTML – Tags and Examples

<I>	italic	<I>Example</I>	<i>Example</i>
<IMG>	image	<IMG SRC="Earth.gif" WIDTH="41" HEIGHT="41" BORDER="0" ALT="a sentence about your site">	
<INPUT>	input field	Example 1:  <FORM METHOD=post ACTION="/cgi-bin/example.cgi"> <INPUT type="text" size="10" maxlength="30"> <INPUT type="Submit" VALUE="Submit"> </FORM>	Example 1:   Submit
<INPUT> (Internet Explorer)	input field	Example 2:  <FORM METHOD=post ACTION="/cgi-bin/example.cgi"> <INPUT type="text" STYLE="color: #FFFFFF; font-family: Verdana; font-weight: bold; font-size: 12px; background-color: #72A4D2;" size="10" maxlength="30"> <INPUT type="Submit" VALUE="Submit"> </FORM>	Example 2:   Submit

# HTML – Tags and Examples

<INPUT>	input field	<p>Example 3:</p> <pre>&lt;FORM METHOD=post ACTION="/cgi-bin/example.cgi"&gt; &lt;TABLE BORDER="0" CELLSPACING="0" CELLPADDING="2"&gt;&lt;TR&gt;&lt;TD bgcolor="#8463FF"&gt;&lt;INPUT type="text" size="10" MAXLENGTH="30"&gt;&lt;/TD&gt;&lt;TD bgcolor="#8463FF" VALIGN="Middle"&gt; &lt;INPUT type="image" name="submit" src="yourimage.gif"&gt;&lt;/TD&gt;&lt;/TR&gt; &lt;/TABLE&gt; &lt;/FORM&gt;</pre>	<p>Example 3:</p> 
<INPUT>	input field	<p>Example 4:</p> <pre>&lt;FORM METHOD=post ACTION="/cgi-bin/example.cgi"&gt; Enter Your Comments:&lt;BR&gt; &lt;TEXTAREA wrap="virtual" name="Comments" rows=3 cols=20 MAXLENGTH=100&gt; &lt;/TEXTAREA&gt;&lt;BR&gt; &lt;INPUT type="Submit" VALUE="Submit"&gt; &lt;INPUT type="Reset" VALUE="Clear"&gt; &lt;/FORM&gt;</pre>	<p>Example 4:</p> 

# HTML – Tags and Examples

<INPUT>	input field	<p>Example 5:</p> <pre>&lt;FORM METHOD=post ACTION="/cgi-bin/example.cgi"&gt; &lt;CENTER&gt; Select an option: &lt;SELECT&gt; &lt;OPTION &gt;option 1 &lt;OPTION SELECTED&gt;option 2 &lt;OPTION&gt;option 3 &lt;OPTION&gt;option 4 &lt;OPTION&gt;option 5 &lt;OPTION&gt;option 6 &lt;/SELECT&gt;&lt;BR&gt; &lt;INPUT type="Submit" VALUE="Submit"&gt; &lt;/CENTER&gt; &lt;/FORM&gt;</pre>	<p>Example 5:</p> <p>Select an option:</p>  <p>option 3 ▾</p> <p>Submit</p>
---------	-------------	--	--

# HTML – Tags and Examples

<INPUT>	input field	<p>Example 6:</p> <pre>&lt;FORM METHOD=post ACTION="/cgi-bin/example.cgi"&gt; Select an option:&lt;BR&gt; &lt;INPUT type="radio" name="option"&gt; Option 1 &lt;INPUT type="radio" name="option" CHECKED&gt; Option 2 &lt;INPUT type="radio" name="option"&gt; Option 3 &lt;BR&gt; &lt;BR&gt; Select an option:&lt;BR&gt; &lt;INPUT type="checkbox" name="selection"&gt; Selection 1 &lt;INPUT type="checkbox" name="selection" CHECKED&gt; Selection 2 &lt;INPUT type="checkbox" name="selection"&gt; Selection 3 &lt;INPUT type="Submit" VALUE="Submit"&gt; &lt;/FORM&gt;</pre>	<p>Example 6:</p> <p>Select an option:</p> <p><input type="radio"/> Option 1 <input checked="" type="radio"/> Option 2 <input type="radio"/> Option 3</p> <p>Select an option:</p> <p><input type="checkbox"/> Selection 1 <input checked="" type="checkbox"/> Selection 2 <input type="checkbox"/> Selection 3</p> <p><input type="button" value="Submit"/></p>
---------	-------------	---	--

# HTML – Tags and Examples

<LI>	list item	<p>Example 1:</p> <pre>&lt;MENU&gt; &lt;LI type="disc"&gt;List item 1 &lt;LI type="circle"&gt;List item 2 &lt;LI type="square"&gt;List item 3 &lt;/MENU&gt;</pre> <p>Example 2:</p> <pre>&lt;OL type="i"&gt; &lt;LI&gt;List item 1 &lt;LI&gt;List item 2 &lt;LI&gt;List item 3 &lt;LI&gt;List item 4 &lt;/OL&gt;</pre>	<p>Example 1:</p> <ul style="list-style-type: none"><li>• List item 1</li><li>◦ List item 2</li><li>▪ List item 3</li></ul> <p>Example 2:</p> <ol style="list-style-type: none"><li>i. List item 1</li><li>ii. List item 2</li><li>iii. List item 3</li><li>iv. List item 4</li></ol>
<LINK>	link	Visit our <A HREF="http://www.yourdomain.com/">site</A>	Visit our <a href="http://www.yourdomain.com/">site</a>

# HTML – Tags and Examples

<META>	meta	< <b>META</b> name="Description" content="Description of your site"> < <b>META</b> name="keywords" content="keywords describing your site">	Nothing will show
<META>	meta	< <b>META</b> HTTP-EQUIV="Refresh" CONTENT="4;URL=http://www.yourdomain.com/">	Nothing will show
<META>	meta	< <b>META</b> http-equiv="Pragma" content="no-cache">	Nothing will show
<META>	meta	< <b>META</b> name="rating" content="General">	Nothing will show
<META>	meta	< <b>META</b> name="ROBOTS" content="ALL">	Nothing will show
<META>	meta	< <b>META</b> NAME="ROBOTS" content="NOINDEX,FOLLOW">	Nothing will show

# HTML – Tags and Examples

<OL>	ordered list	<p>Example 1:</p> <pre>&lt;OL&gt; &lt;LI&gt;List item 1 &lt;LI&gt;List item 2 &lt;LI&gt;List item 3 &lt;LI&gt;List item 4 &lt;/OL&gt;</pre> <p>Example 2:</p> <pre>&lt;OL type="a"&gt; &lt;LI&gt;List item 1 &lt;LI&gt;List item 2 &lt;LI&gt;List item 3 &lt;LI&gt;List item 4 &lt;/OL&gt;</pre>	<p>Example 1:</p> <ol style="list-style-type: none"><li>1. List item 1</li><li>2. List item 2</li><li>3. List item 3</li><li>4. List item 4</li></ol> <p>Example 2:</p> <ol style="list-style-type: none"><li>a. List item 1</li><li>b. List item 2</li><li>c. List item 3</li><li>d. List item 4</li></ol>
------	--------------	--	---


# HTML – Tags and Examples

<OPTION>	listbox option	<pre>&lt;FORM METHOD=post ACTION="/cgi-bin/example.cgi"&gt; &lt;CENTER&gt; Select an option: &lt;SELECT&gt; &lt;OPTION&gt;option 1 &lt;OPTION SELECTED&gt;option 2 &lt;OPTION&gt;option 3 &lt;OPTION&gt;option 4 &lt;OPTION&gt;option 5 &lt;OPTION&gt;option 6 &lt;/SELECT&gt;&lt;BR&gt; &lt;/CENTER&gt; &lt;/FORM&gt;</pre>	Select an option: <div style="border: 1px solid black; padding: 2px; display: inline-block;">option 2 ▾</div>
----------	-------------------	--	--

# HTML – Tags and Examples

<P>	paragraph	<p>This is an example displaying the use of the paragraph tag. &lt;P&gt; This will create a line break and a space between lines.</p> <p>Attributes:</p> <p>Example 1:&lt;BR&gt;&lt;BR&gt;<b>&lt;P align="left"&gt;</b> This is an example&lt;BR&gt;displaying the use&lt;BR&gt;of the paragraph tag.&lt;BR&gt;&lt;BR&gt;Example 2:&lt;BR&gt;&lt;BR&gt;<b>&lt;P align="right"&gt;</b> This is an example&lt;BR&gt;displaying the use&lt;BR&gt;of the paragraph tag.&lt;BR&gt;&lt;BR&gt;Example 3:&lt;BR&gt;&lt;BR&gt;<b>&lt;P align="center"&gt;</b> This is an example&lt;BR&gt;displaying the use&lt;BR&gt;of the paragraph tag.</p>	<p>This is an example displaying the use of the paragraph tag.</p> <p>This will create a line break and a space between lines.</p> <p>Attributes:</p> <p>Example 1:</p> <p>This is an example displaying the use of the paragraph tag.</p> <p>Example 2:</p> <p>This is an example displaying the use of the paragraph tag.</p> <p>Example 3:</p> <p>This is an example displaying the use of the paragraph tag.</p>
-----	-----------	--	--

# HTML – Tags and Examples

<SMALL>	small (text)	< <b>SMALL</b> >Example</ <b>SMALL</b> >	Example
<STRONG>	strong emphasis	< <b>STRONG</b> >Example</ <b>STRONG</b> >	<b>Example</b>
<TABLE>	table	<p>Example 1:</p> <pre>&lt;TABLE BORDER="4" CELLPADDING="2" CELLSPACING="2" WIDTH="100%&gt; &lt;TR&gt; &lt;TD&gt;Column 1&lt;/TD&gt; &lt;TD&gt;Column 2&lt;/TD&gt; &lt;/TR&gt; &lt;/TABLE&gt;</pre> <p>Example 2: (Internet Explorer)</p> <pre>&lt;TABLE BORDER="2" BORDERCOLOR="#336699" CELLPADDING="2" CELLSPACING="2" WIDTH="100%&gt; &lt;TR&gt; &lt;TD&gt;Column 1&lt;/TD&gt; &lt;TD&gt;Column 2&lt;/TD&gt; &lt;/TR&gt; &lt;/TABLE&gt;</pre>	<p>Example 1:</p>  <p>Example 2:</p> 

# HTML – Tags and Examples

<TD>	table data	<pre>&lt;TABLE BORDER="2" CELLPADDING="2" CELLSPACING="2" WIDTH="100%&gt; &lt;TR&gt; &lt;TD&gt;Column 1&lt;/TD&gt; &lt;TD&gt;Column 2&lt;/TD&gt; &lt;/TR&gt; &lt;/TABLE&gt;</pre>	<table border="1"><tr><td>Column 1</td><td>Column 2</td></tr></table>	Column 1	Column 2
Column 1	Column 2				

# HTML – Tags and Examples

<TH>	table header	<pre>&lt;DIV align="center"&gt;&lt;TABLE&gt; &lt;TR&gt; &lt;TH&gt;Column 1&lt;/TH&gt; &lt;TH&gt;Column 2&lt;/TH&gt; &lt;TH&gt;Column 3&lt;/TH&gt; &lt;/TR&gt; &lt;TR&gt; &lt;TD&gt;Row 2&lt;/TD&gt; &lt;TD&gt;Row 2&lt;/TD&gt; &lt;TD&gt;Row 2&lt;/TD&gt; &lt;/TR&gt; &lt;TR&gt; &lt;TD&gt;Row 3&lt;/TD&gt; &lt;TD&gt;Row 3&lt;/TD&gt; &lt;TD&gt;Row 3&lt;/TD&gt; &lt;/TR&gt; &lt;TR&gt; &lt;TD&gt;Row 4&lt;/TD&gt; &lt;TD&gt;Row 4&lt;/TD&gt; &lt;TD&gt;Row 4&lt;/TD&gt; &lt;/TR&gt; &lt;/TABLE&gt; &lt;/DIV&gt;</pre> <table><thead><tr><th>Column 1</th><th>Column 2</th><th>Column 3</th></tr></thead><tbody><tr><td>Row 2</td><td>Row 2</td><td>Row 2</td></tr><tr><td>Row 3</td><td>Row 3</td><td>Row 3</td></tr><tr><td>Row 4</td><td>Row 4</td><td>Row 4</td></tr></tbody></table>	Column 1	Column 2	Column 3	Row 2	Row 2	Row 2	Row 3	Row 3	Row 3	Row 4	Row 4	Row 4
Column 1	Column 2	Column 3												
Row 2	Row 2	Row 2												
Row 3	Row 3	Row 3												
Row 4	Row 4	Row 4												

# HTML – Tags and Examples

<TITLE>	document title	<TITLE>Title of your webpage</TITLE>	Title of your webpage will be viewable in the title bar.		
<TR>	table row	<TABLE BORDER="2" CELLPADDING="2" CELLSPACING="2" WIDTH="100%"> <TR> <TD>Column 1</TD> <TD>Column 2</TD> </TR> </TABLE>	<table border="1"><tr><td>Column 1</td><td>Column 2</td></tr></table>	Column 1	Column 2
Column 1	Column 2				
<TT>	teletype	<TT>Example</TT>	Example		
<U>	underline	<U>Example</U>	<u>Example</u>		
<UL>	unordered list	Example 1:  <UL><LI>List item 1<LI>List item 2</UL> Example 2: <UL type="disc"><LI>List item 1<LI>List item 2<UL type="circle"><LI>List item 3<LI>List item 4</UL></UL>	Example 1: <ul style="list-style-type: none"><li>• List item 1</li><li>• List item 2</li></ul> Example 2: <ul style="list-style-type: none"><li>• List item 1</li><li>• List item 2<ul style="list-style-type: none"><li>◦ List item 3</li><li>◦ List item 4</li></ul></li></ul>		

## More References Used

- [http://www.csun.edu/science/help/help\\_docs/html\\_tags.html](http://www.csun.edu/science/help/help_docs/html_tags.html)

THANK YOU